EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-----------------|------|---------------------------------|---|---------------------|---------|------------------|
| L1 | 65 | reverse adj bias adj resistance | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/11/09 09:04 |
| L2 | 1997 | 365/158.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/11/09 09:04 |
| L3 | 2012 | 365/171.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/11/09 09:04 |
| L4 | 1172 | 365/173.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/11/09 09:04 |
| L5 | 54 | eaton\$-james-r\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON . | 2007/11/09 09:05 |
| L6 _. | 346 | perner-frederick-a\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/11/09 09:05 |
| L7 | 188 | tran-lung-t\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/11/09 09:05 |
| L8 | 83 | eldredge-kenneth-j\$.in. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2007/11/09 09:06 |



Day: Friday Date: 11/9/2007

Time: 09:00:45

Inventor Name Search Result

Your Search was:

Last Name = EATON First Name = JAMES

| | TD | [q. , | D . DI I | research and the second | T 4 N |
|--------------|---------------|-------|------------|--|------------------------|
| Application# | | | | | Inventor Name |
| 11215531 | Not Issued | 161 | 08/29/2005 | Identification of laterally positioned servo bands employing differentiating characteristics of servo patterns | EATON, JAMES HOWARD |
| 11215627 | Not Issued | 161 | 08/29/2005 | Identification of laterally positioned servo bands employing differentiating charcteristics of servo patterns | EATON, JAMES HOWARD |
| 11215758 | Not Issued | 161 | 08/29/2005 | Identification of laterally positioned servo bands employing differentiating characteristics of servo patterns | EATON, JAMES HOWARD |
| 11830869 | Not Issued | 30 | 07/31/2007 | TRI-STATE SERVOWRITER DRIVER WITH SLOW RETURN TO ZERO | EATON, JAMES HOWARD |
| 08859830 | 5930065 | 150 | 05/16/1997 | TIMING BASED SERVO LONGITUDINAL ADDRESSING | EATON, JAMES HOWARD |
| 08865540 | 6021013 | 150 | 05/29/1997 | TIMING BASED SERVO SYSTEM FOR MAGNETIC TAPE SYSTEMS | EATON, JAMES HOWARD |
| 08896356 | 5883770 | 250 | 07/18/1997 | PARTIAL WIDTH MASS PRODUCED LINEAR TAPE RECORDING HEAD | EATON, JAMES HOWARD |
| 08896782 | 5905613 | 250 | 07/18/1997 | BIDIRECTIONAL FLAT CONTOUR LINEAR TAPE RECORDING HEAD AND DRIVE | EATON, JAMES HOWARD |
| 09067490 | 6043963 | 150 | 04/27/1998 | LOW-PROFILE TAPE CARTRIDGE | EATON, JAMES HOWARD |
| 09188997 | 6341416 | 150 | 11/09/1998 | METHOD FOR MASS PRODUCING PARTIAL WIDTH LINEAR TAPE | EATON, JAMES HOWARD |

| | | | | RECORDING HEAD | |
|----------|---------------|-----|------------|--|------------------------|
| 09420889 | 6282051 | 150 | 10/19/1999 | TIMING BASED SERVO SYSTEM FOR MAGNETIC TAPE SYSTEMS | EATON, JAMES HOWARD |
| 11498597 | Not Issued | 30 | 08/02/2006 | Information system and method for generating appraisal reports for real properties | EATON, JAMES M. |
| 08198714 | Not Issued | 166 | 02/18/1994 | POWER CONTROL SYSTEM FOR A THERMAL INK-JET PRINTER | EATON, JAMES N. |
| 08509396 | 5563635 | 150 | 07/31/1995 | POWER CONTROL SYSTEM FOR A THERMAL INK-JET PRINTER | EATON, JAMES N. |
| 07741000 | Not Issued | 161 | 11 | RADIO-CONTROLLED MODEL SUSPENSION SYSTEM | EATON, JAMES O. |
| 07997858 | 5312044 | 150 | 12/29/1992 | PRESSURE CLEANING METHOD AND APPARATUS | EATON, JAMES O. |
| 08368488 | 5833514 | 250 | 01/04/1995 | REACTIONARY FORCE UTILIZATION | EATON, JAMES O. |
| 09934548 | 6864529 | 150 | II I | THIN FILM TRANSISTOR MEMORY DEVICE | EATON, JAMES R. |
| 09976304 | 6501697 | 150 | 10/11/2001 | HIGH DENSITY MEMORY SENSE AMPLIFIER | EATON, JAMES R. |
| 10006723 | 6661704 | 150 | 12/10/2001 | DIODE DECOUPLED SENSING METHOD AND APPARATUS | EATON, JAMES R. |
| 10138076 | 6760245 | 150 | 05/01/2002 | MOLECULAR WIRE CROSSBAR FLASH MEMORY | EATON, JAMES R. |
| 10145337 | 6738307 | 150 | 05/13/2002 | ADDRESS STRUCTURE AND METHODS FOR MULTIPLE ARRAYS OF DATA STORAGE MEMORY | EATON, JAMES R. |
| 10151913 | Not Issued | 161 | 05/22/2002 | Equi-potential sensing magnetic random access memory (MRAM) with series diodes | EATON, JAMES R. |
| 10346494 | 6839270 | 150 | 01/17/2003 | SYSTEM FOR AND METHOD OF ACCESSING A FOUR- CONDUCTOR MAGNETIC RANDOM ACCESS MEMORY | EATON, JAMES R. |
| 10346700 | 6842389 | 150 | 01/17/2003 | SYSTEM FOR AND METHOD OF FOUR-CONDUCTOR MAGNETIC RANDOM ACCESS MEMORY CELL AND DECODING SCHEME | EATON, JAMES R. |

| 10661448 | Not Issued | 71 | 09/11/2003 | Increased magnetic memory array sizes and operating margins | EATON, JAMES R. |
|----------|---------------|-----|------------|---|-------------------------|
| 10676465 | 6927996 | 150 | II I | MAGNETIC MEMORY DEVICE | EATON, JAMES R. |
| 10697776 | Not Issued | 161 | | Equi-potential sensing magnetic random access memory (MRAM) with series diodes | EATON, JAMES R. |
| 10777000 | 6781918 | 150 | 02/10/2004 | ADDRESS STRUCTURE AND METHODS FOR MULTIPLE ARRAYS OF DATA STORAGE MEMORY | EATON, JAMES R. |
| 10985762 | 7161838 | 150 | 11/09/2004 | THIN FILM TRANSISTOR MEMORY DEVICE | EATON, JAMES R. |
| 08199400 | 5445043 | 250 | 02/22/1994 | HYDRAULIC SHIFT CONTROL FOR A POWER TRANSMISSION | EATON, JAMES R. |
| 08304892 | 5509868 | 150 | 09/13/1994 | GOVERNOR INTERLOCK VALVE | EATON, JAMES R. |
| 08310448 | 5496231 | 150 | 09/22/1994 | HYDRAULIC CONTROL FOR A MULTI-SPEED POWER TRANSMISSION | EATON, JAMES R. |
| 08310456 | 5492027 | 150 | 09/22/1994 | ROTARY SHIFT CONTROL VALVING MECHANISM FOR A POWER TRANSMISSION | EATON, JAMES R. |
| 10347723 | 6826112 | 150 | 01/21/2003 | LOW POWER LOGIC GATE | EATON, JAMES ROBERT |
| 10348645 | 6940770 | 150 | | METHOD FOR PRECHARGING WORD AND BIT LINES FOR SELECTING MEMORY CELLS WITHIN A MEMORY ARRAY | EATON, JAMES ROBERT |
| 11129269 | 7248518 | 150 | 05/12/2005 | SELF-TIMED MEMORY DEVICE PROVIDING ADEQUATE CHARGING TIME FOR SELECTED HEAVIEST LOADING ROW | EATON, JAMES ROBERT |
| 08310447 | 5492210 | 150 | 09/22/1994 | RATIO INTERCHANGE CONTROL VALVING | EATON, JAMES RUSSELL |
| 06373861 | 4468903 | 150 | 05/03/1982 | BUILDING PANEL | EATON, JAMES W. |
| 06374190 | 4468909 | 150 | 05/03/1982 | BUILDING PANEL | EATON, JAMES W. |
| 06374281 | 4422266 | 150 | 05/03/1982 | BUILDING PANEL | EATON, JAMES W. |
| 06427543 | 4464872 | 150 | 09/29/1982 | BUILDING PANEL | EATON, JAMES W. |

Inventor Search Completed: No Records to Display.

| | Last Name | First Name | |
|--------------------------|-----------|------------|--------|
| Search Another: Inventor | eaton | james | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



Day: Friday Date: 11/9/2007

Time: 09:01:51

Inventor Name Search Result

Your Search was:

Last Name = PERNER

First Name = FREDERICK

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|----------------|--------|------------|---|-------------------------|
| 10223490 | <u>6728153</u> | 150 | 08/19/2002 | MAGNETIC MEMORY WHICH COMPARES FIRST MEMORY CELL DATA BITS AND SECOND DATA BITS | PERNER, FREDERICK A. |
| 10261532 | 6754123 | 150 | 10/01/2002 | ADJUSTABLE CURRENT MODE DIFFERENTIAL AMPLIFIER FOR MULTIPLE BIAS POINT SENSING OF MRAM HAVING DIODE ISOLATION | PERNER, FREDERICK A. |
| 10262051 | 6674679 | 150 | 10/01/2002 | ADJUSTABLE CURRENT MODE DIFFERENTIAL AMPLIFIER FOR MULTIPLE BIAS POINT SENSING OF MRAM HAVING EQUI- POTENTIAL ISOLATION | PERNER, FREDERICK A. |
| 10264588 | 6834017 | 150 | 10/03/2002 | ERROR DETECTION SYSTEM FOR AN INFORMATION STORAGE DEVICE | PERNER, FREDERICK A. |
| 10273623 | 6678197 | 150 | 10/18/2002 | SYSTEMS AND METHODS FOR REDUCING THE EFFECT OF NOISE WHILE READING DATA FROM MEMORY | PERNER, FREDERICK A. |
| 10289997 | Not Issued | 161 | 11/06/2002 | Imaging system with non-volatile memory | PERNER, FREDERICK A. |
| 10293027 | 6891768 | 150 | 11/13/2002 | POWER-SAVING READING OF MAGNETIC MEMORY DEVICES | PERNER, FREDERICK A. |
| 10346494 | 6839270 | 150 | 01/17/2003 | | PERNER, FREDERICK A. |
| 10346700 | 6842389 | 150 | | SYSTEM FOR AND METHOD OF FOUR-CONDUCTOR | PERNER, FREDERICK A. |

| | | | | MAGNETIC RANDOM ACCESS MEMORY CELL AND DECODING SCHEME | |
|-----------------|---------|-----|------------|---|-------------------------|
| 10350398 | 6807118 | 150 | 01/23/2003 | ADJUSTABLE OFFSET DIFFERENTIAL AMPLIFIER | PERNER, FREDERICK A. |
| 10425362 | 6930914 | 150 | 04/29/2003 | | PERNER, FREDERICK A. |
| 10426381 | 6667901 | 150 | 04/29/2003 | DUAL-JUNCTION MAGNETIC MEMORY DEVICE AND READ METHOD | PERNER, FREDERICK A. |
| 10444477 | 6956762 | 150 | 05/23/2003 | METHOD AND SYSTEM FOR DATA COMMUNICATION ON A CHIP | PERNER, FREDERICK A. |
| 10448574 | 6873543 | 150 | 05/30/2003 | MEMORY DEVICE | PERNER, FREDERICK A. |
| <u>10449572</u> | 7027318 | 150 | 05/30/2003 | METHOD AND SYSTEM FOR ADJUSTING OFFSET VOLTAGE | PERNER, FREDERICK A. |
| 10459635 | 6865104 | 150 | 06/10/2003 | MAGNETORESISTIVE RANDOM ACCESS MEMORY (MRAM) WITH ON-CHIP AUTOMATIC DETERMINATION OF OPTIMIZED WRITE CURRENT METHOD AND APPARATUS | PERNER, FREDERICK A. |
| 10601895 | 6865107 | 150 | 06/23/2003 | MAGNETIC MEMORY DEVICE | PERNER, FREDERICK A. |
| 10609278 | 6954373 | 150 | | APPARATUS AND METHOD FOR DETERMINING THE LOGIC STATE OF A MAGNETIC TUNNEL JUNCTION MEMORY DEVICE | PERNER, FREDERICK A. |
| 10614504 | 6836422 | 150 | 07/07/2003 | | PERNER, FREDERICK A. |
| 10614505 | 6842364 | 150 | 07/07/2003 | MEMORY CELL STRINGS IN A RESISTIVE CROSS POINT MEMORY CELL ARRAY | PERNER, FREDERICK A. |
| 10614581 | 6865108 | 150 | 07/07/2003 | MEMORY CELL STRINGS IN A RESISTIVE CROSS POINT MEMORY CELL ARRAY | PERNER, FREDERICK A. |
| 10623357 | 6898134 | 150 | 07/18/2003 | SYSTEMS AND METHODS FOR SENSING A MEMORY ELEMENT | PERNER, FREDERICK A. |
| | | | | | |

| 10625016 | 7079148 | 150 | 07/23/2003 | NON-VOLATILE MEMORY PARALLEL PROCESSOR | PERNER, FREDERICK A. |
|----------|------------|-----|------------|--|-------------------------|
| 10635399 | 6751147 | 150 | 08/05/2003 | METHOD FOR ADAPTIVELY WRITING A MAGNETIC RANDOM ACCESS MEMORY | PERNER, FREDERICK A. |
| 10635405 | 6826086 | 150 | 08/05/2003 | METHOD, APPARATUS AND SYSTEM FOR ERASING AND WRITING A MAGNETIC RANDOM ACCESS MEMORY | PERNER, FREDERICK A. |
| 10640792 | 6961262 | 150 | 08/13/2003 | MEMORY CELL ISOLATION | PERNER, FREDERICK A. |
| 10649076 | 6947313 | 150 | 08/27/2003 | METHOD AND APPARATUS OF COUPLING CONDUCTORS IN MAGNETIC MEMORY | PERNER, FREDERICK A. |
| 10649078 | 7221582 | 150 | 08/27/2003 | METHOD AND SYSTEM FOR CONTROLLING WRITE CURRENT IN MAGNETIC MEMORY | PERNER, FREDERICK A. |
| 10649752 | 6901005 | 150 | 08/27/2003 | METHOD AND SYSTEM READING MAGNETIC MEMORY | PERNER, FREDERICK A. |
| 10650278 | 7006388 | 150 | 08/28/2003 | MEMORY WITH REFERENCE- INITIATED SEQUENTIAL SENSING | PERNER, FREDERICK A. |
| 10656758 | 6927092 | 150 | | A METHOD OF FORMING A SHARED GLOBAL WORD LINE MRAM STRUCTURE | PERNER, FREDERICK A. |
| 10657385 | 6937509 | 150 | 09/08/2003 | DATA STORAGE DEVICE AND METHOD OF FORMING THE SAME | PERNER, FREDERICK A. |
| 10658442 | 6791873 | 150 | 09/08/2003 | APPARATUS AND METHOD FOR GENERATING A WRITE CURRENT FOR A MAGNETIC MEMORY CELL | PERNER, FREDERICK A. |
| 10660831 | 6999334 | 150 | 09/12/2003 | SYSTEM AND METHOD FOR DETERMINING THE LOGIC STATE OF A MEMORY CELL IN A MAGNETIC TUNNEL JUNCTION MEMORY DEVICE | PERNER, FREDERICK A. |
| 10661448 | Not Issued | 71 | 09/11/2003 | Increased magnetic memory array sizes and operating margins | PERNER, FREDERICK A. |
| 10675191 | 6842390 | 150 | 09/30/2003 | SYSTEMS AND METHODS FOR COMMUNICATING WITH MEMORY BLOCKS | PERNER, FREDERICK A. |
| | 11 I | | II . | | II (|

| <u>10675740</u> | 7079436 | 150 | | RESISTIVE CROSS POINT MEMORY | PERNER, FREDERICK A. |
|-----------------|---------------|-----|------------|--|-------------------------|
| 10678322 | 6894938 | 150 | 10/03/2003 | SYSTEM AND METHOD OF CALIBRATING A READ CIRCUIT IN A MAGNETIC MEMORY | PERNER, FREDERICK A. |
| 10680464 | 6990012 | 150 | 10/07/2003 | MAGNETIC MEMORY DEVICE | PERNER, FREDERICK A. |
| 10680483 | 7136300 | 150 | 10/06/2003 | MAGNETIC MEMORY DEVICE INCLUDING GROUPS OF SERIES-CONNECTED MEMORY ELEMENTS | PERNER, FREDERICK A. |
| 10681483 | 6930370 | 150 | 10/08/2003 | MEMORY WITH CONDUCTORS BETWEEN OR IN COMMUNICATION WITH STORAGE UNITS | PERNER, FREDERICK A. |
| 10685618 | 6839271 | 150 | 10/15/2003 | MAGNETIC MEMORY DEVICE | PERNER, FREDERICK A. |
| 10689144 | 6847544 | 150 | 10/20/2003 | MAGNETIC MEMORY WHICH DETECTS CHANGES BETWEEN FIRST AND SECOND RESISTIVE STATES OF MEMORY CELL | PERNER, FREDERICK A. |
| 10690249 | 6990030 | 150 | 10/21/2003 | MAGNETIC MEMORY HAVING A CALIBRATION SYSTEM | PERNER, FREDERICK A. |
| 10696826 | 6873544 | 150 | 10/30/2003 | TRIPLE SAMPLE SENSING FOR MAGNETIC RANDOM ACCESS MEMORY (MRAM) WITH SERIES DIODES | PERNER, FREDERICK A. |
| 10697776 | Not Issued | 161 | 10/30/2003 | Equi-potential sensing magnetic random access memory (MRAM) with series diodes | PERNER, FREDERICK A. |
| 10698896 | Not Issued | 164 | 10/31/2003 | MULTI-SAMPLE READ CIRCUIT HAVING TEST MODE OF OPERATION | PERNER, FREDERICK A. |
| 10713510 | 6930369 | 150 | 11/14/2003 | THIN FILM DEVICE AND A METHOD OF PROVIDING THERMAL ASSISTANCE THEREIN | PERNER, FREDERICK A. |
| 10725746 | 6850430 | 150 | 12/02/2003 | REGULATING A MAGNETIC MEMORY CELL WRITE CURRENT | PERNER, FREDERICK A. |
| 10725803 | 6937504 | 150 | 12/02/2003 | SELECTING A MAGNETIC MEMORY CELL WRITE CURRENT | PERNER, FREDERICK A. |

Search and Display More Records.

| | Last Name | First Name | |
|--------------------------|-----------|------------|--------|
| Scarch Another. Inventor | perner | frederick | Search |

To go back use Back button on your browser toolbar.

Back to $\left. \underline{\mathsf{PALM}} \right| \underbrace{\mathsf{ASSIGNMENT}} \left| \underbrace{\mathsf{OASIS}} \right| \mathsf{Home} \; \mathsf{page}$



Day : Friday Date: 11/9/2007

Time: 09:02:23

Inventor Name Search Result

Your Search was:

Last Name = TRAN First Name = LUNG

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|---------|--------|------------|---|---------------|
| 09984934 | 6504742 | 150 | 10/31/2001 | 3-D-MEMORY DEVICE FOR LARGE STORAGE CAPACITY | TRAN, LUNG T. |
| 09992426 | 6483734 | 150 | 1 | MEMORY DEVICE HAVING MEMORY CELLS CAPABLE OF FOUR STATES | TRAN, LUNG T. |
| 09998216 | 6608790 | 150 | 12/03/2001 | WRITE CURRENT COMPENSATION FOR TEMPERATURE VARIATIONS IN MEMORY ARRAYS | TRAN, LUNG T. |
| 10084111 | 6678189 | 150 | 02/25/2002 | METHOD AND SYSTEM FOR PERFORMING EQUIPOTENTIAL SENSING ACROSS A MEMORY ARRAY TO ELIMINATE LEAKAGE CURRENTS | TRAN, LUNG T. |
| 10098204 | 6593608 | 150 | 03/15/2002 | MAGNETO RESISTIVE STORAGE DEVICE HAVING DOUBLE TUNNEL JUNCTION | TRAN, LUNG T. |
| 10098206 | 6885573 | 150 | 03/15/2002 | DIODE FOR USE IN MRAM DEVICES AND METHOD OF MANUFACTURE | TRAN, LUNG T. |
| 10098903 | 6778421 | 150 | 03/14/2002 | MEMORY DEVICE ARRAY HAVING A PAIR OF MAGNETIC BITS SHARING A COMMON CONDUCTOR LINE | TRAN, LUNG T. |
| 10116497 | 6967350 | 150 | 04/02/2002 | MEMORY STRUCTURES | TRAN, LUNG T. |
| 10133605 | 6673714 | 150 | 04/25/2002 | METHOD OF FABRICATING A SUB-LITHOGRAPHIC SIZED VIA | TRAN, LUNG T. |
| 10136782 | 6597598 | 150 | 04/30/2002 | RESISTIVE CROSS POINT MEMORYARRAYS HAVING A CHARGE INJECTION | TRAN, LUNG T. |

| | | | | DIFFERENTIAL SENSE AMPLIFIER | |
|-----------------|---------------|-----|------------|--|---------------|
| 10136976 | 6574129 | 150 | 04/30/2002 | RESISTIVE CROSS POINT MEMEORY CELL ARRAYS HAVING A CROSS-COUPLE LATCH SENSE AMPLIFIER | TRAN, LUNG T. |
| 10151913 | Not Issued | 161 | 05/22/2002 | Equi-potential sensing magnetic random access memory (MRAM) with series diodes | TRAN, LUNG T. |
| 10151915 | 6757188 | 150 | 05/22/2002 | TRIPLE SAMPLE SENSING FOR MAGNETIC RANDOM ACCESS MEMORY (MRAM) WITH SERIES DIODES | TRAN, LUNG T. |
| 10232363 | 6791865 | 150 | 09/03/2002 | MEMORY DEVICE CAPABLE OF CALIBRATION AND CALIBRATION METHODS THEREFOR | TRAN, LUNG T. |
| <u>10234511</u> | 6754097 | 150 | 09/03/2002 | READ OPERATIONS ON MULTI-BIT MEMORY CELLS IN RESISTIVE CROSS POINT ARRAYS | TRAN, LUNG T. |
| 10235011 | 6577529 | 150 | 09/03/2002 | MULTI-BIT MAGNETIC MEMORY DEVICE | TRAN, LUNG T. |
| 10235045 | 6801451 | 150 | 09/03/2002 | MAGNETIC MEMORY DEVICES HAVING MULTIPLE BITS PER MEMORY CELL | TRAN, LUNG T. |
| 10254559 | 6577549 | 150 | | WRITE CURRENT COMPENSATION FOR TEMPERATURE VARIATIONS IN MEMORY ARRAYS | TRAN, LUNG T. |
| 10299542 | 6791867 | 150 | 11/18/2002 | SELECTION OF MEMORY CELLS IN DATA STORAGE DEVICES | TRAN, LUNG T. |
| 10315748 | Not Issued | 98 | 12/10/2002 | THERMALLY-ASSISTED SWITCHING OF MAGNETIC MEMORY ELEMENTS | TRAN, LUNG T. |
| 10349685 | 6693825 | 150 | | MAGNETO-RESISTIVE DEVICE INCLUDING CLAD CONDUCTOR | · |
| 10351013 | 6891746 | 150 | 01/25/2003 | MAGNETO-RESISTIVE DEVICE HAVING SOFT REFERENCE LAYER | TRAN, LUNG T. |
| 10459437 | 6826079 | 150 | 06/10/2003 | METHOD AND SYSTEM FOR PERFORMING EQUIPOTENTIAL SENSING ACROSS A MEMORY ARRAY | TRAN, LUNG T. |

| | | | | TO ELIMINATE LEAKAGE CURRENTS | |
|----------|---------------|-----|------------|--|---------------|
| 10465714 | 7027319 | 150 | | RETRIEVING DATA STORED IN A MAGNETIC INTEGRATED MEMORY | TRAN, LUNG T. |
| 10657519 | 6961263 | 150 | 09/08/2003 | MEMORY DEVICE WITH A THERMALLY ASSISTED WRITE | TRAN, LUNG T. |
| 10661448 | Not Issued | 71 | 09/11/2003 | Increased magnetic memory array sizes and operating margins | TRAN, LUNG T. |
| 10668405 | 6865105 | 150 | 09/22/2003 | THERMAL-ASSISTED SWITCHING ARRAY CONFIGURATION FOR MRAM | TRAN, LUNG T. |
| 10692617 | 6879508 | 150 | 10/24/2003 | MEMORY DEVICE ARRAY HAVING A PAIR OF MAGNETIC BITS SHARING A COMMON CONDUCTOR LINE | TRAN, LUNG T. |
| 10695567 | 7038878 | 150 | 10/28/2003 | MICROMOVER CONFIGURED TO MOVE A MAGNETIC STORAGE MEDIUM IN PERPENDICULAR DIRECTIONS IN A PLANE | TRAN, LUNG T. |
| 10695710 | 7057258 | 150 | 10/29/2003 | RESISTIVE MEMORY DEVICE AND METHOD FOR MAKING THE SAME | TRAN, LUNG T. |
| 10696826 | 6873544 | 150 | 10/30/2003 | TRIPLE SAMPLE SENSING FOR MAGNETIC RANDOM ACCESS MEMORY (MRAM) WITH SERIES DIODES | TRAN, LUNG T. |
| 10697776 | Not Issued | 161 | 10/30/2003 | Equi-potential sensing magnetic random access memory (MRAM) with series diodes | TRAN, LUNG T. |
| 10753298 | 6791874 | 150 | 01/08/2004 | MEMORY DEVICE CAPABLE OF CALIBRATION AND CALIBRATION METHODS THEREFOR | TRAN, LUNG T. |
| 10969085 | Not Issued | 30 | 10/20/2004 | Display device | TRAN, LUNG T. |
| 11089687 | Not Issued | 161 | 03/24/2005 | Method of manufacture for improved diode for use in MRAM devices | TRAN, LUNG T. |
| 08614981 | Not Issued | 161 | 03/12/1996 | ESD PROTECTION DEVICE FOR MAGNETIC RECORDING HEAD | TRAN, LUNG T. |
| 08974925 | 6169686 | 150 | 11/20/1997 | SOLID-STATE MEMORY WITH | TRAN, LUNG T. |

| | | 1 | | MAGNETIC STORAGE CELLS | |
|----------|---------|-----|------------|--|----------------|
| 09334485 | 6111783 | 150 | 06/16/1999 | MRAM DEVICE INCLUDING WRITE CIRCUIT FOR SUPPLYING WORD AND BIT LINE CURRENT HAVING UNEQUAL MAGNITUDES | TRAN, LUNG T. |
| 09370087 | 6163477 | 150 | | MRAM DEVICE USING MAGNETIC FIELD BIAS TO IMPROVE REPRODUCIBILITY OF MEMORY CELL SWITCHING | TRAN, LUNG T. |
| 09430238 | 6262625 | 150 | 10/29/1999 | OPERATIONAL AMPLIFIER WITH DIGITAL OFFSET CALIBRATION | TRAN, LUNG T. |
| 09430611 | 6188615 | 150 | 10/29/1999 | MRAM DEVICE INCLUDING DIGITAL SENSE AMPLIFIERS | TRAN, LUNG T. |
| 10093344 | 6625059 | 150 | 03/06/2002 | SYNTHETIC FERRIMAGNET REFERENCE LAYER FOR A MAGNETIC STORAGE DEVICE | TRAN, LUNG THE |
| 10176179 | 6507513 | 150 | | USING DELAYED ELECTRICAL PULSES WITH MAGNETO- RESISTIVE DEVICES | TRAN, LUNG THE |
| 10680483 | 7136300 | 150 | 10/06/2003 | MAGNETIC MEMORY DEVICE INCLUDING GROUPS OF SERIES-CONNECTED MEMORY ELEMENTS | TRAN, LUNG THE |
| 07209651 | 4878140 | 150 | 06/21/1988 | MAGNETO-RESISTIVE SENSOR WITH OPPOSING CURRENTS FOR READING PERPENDICULARLY RECORDED MEDIA | TRAN, LUNG THE |
| 10196877 | 6850433 | 150 | 07/15/2002 | MAGNETIC MEMORY DEVICE AND METHOD | TRAN, LUNG THE |

Inventor Search Completed: No Records to Display.

| Coough Amothous Inventor | Last Name | First Name | gardense planting management man - g |
|--------------------------|-----------|------------|--------------------------------------|
| Search Another: Inventor | tran | lung | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



Day: Friday Date: 11/9/2007

Time: 09:02:57

Inventor Name Search Result

Your Search was:

Last Name = ELDREDGE First Name = KENNETH

| Application# | Doton## | Status | Data Filad | Title | Inventor Name |
|--------------|---------|--------|------------|---|-------------------------|
| | | | | | |
| 10743662 | 7266732 | 150 | 12/22/2003 | MRAM WITH CONTROLLER | ELDREDGE, KENNETH |
| 09498587 | 6185143 | 150 | 02/04/2000 | MAGNETIC RANDOM ACCESS MEMORY (MRAM) DEVICE INCLUDING DIFFERENTIAL SENSE AMPLIFIERS | ELDREDGE, KENNETH I. |
| 09483383 | 6728799 | 150 | 01/13/2000 | HYBRID DATA I/O FOR MEMORY APPLICATIONS | ELDREDGE, KENNETH J |
| 09498588 | 6584589 | 150 | 02/04/2000 | SELF-TESTING OF MAGNETO-RESISTIVE MEMORY ARRAYS | ELDREDGE, KENNETH J. |
| 09564713 | 6256224 | 150 | 05/03/2000 | Write circuit for large mram arrays | ELDREDGE, KENNETH J. |
| 09598671 | 6317376 | 150 | 06/20/2000 | Reference signal generation for magnetic random access memory devices | ELDREDGE, KENNETH J. |
| 09759952 | 6782616 | 150 | 01/12/2001 | CONNECTION ARRANGEMENTS FOR ELECTRICAL DEVICES | ELDREDGE, KENNETH J. |
| 09800561 | 6590850 | 150 | 03/07/2001 | PACKAGING FOR STORAGE DEVICES USING ELECTRON EMISSIONS | ELDREDGE, KENNETH J. |
| 09809707 | 6385111 | 150 | 03/14/2001 | REFERENCE SIGNAL GENERATION FOR MAGNETIC RANDOM ACCESS MEMORY DEVICES | ELDREDGE, KENNETH J. |
| 09811299 | 6791931 | 150 | 03/16/2001 | ACCELEROMETER USING FIELD EMITTER TECHNOLOGY | ELDREDGE, KENNETH J. |
| 09827114 | 6363000 | 150 | 04/05/2001 | Write circuit for large MRAM arrays | ELDREDGE, KENNETH J. |
| 09915179 | Not | 161 | 07/25/2001 | Fault tolerant magnetoresistive | ELDREDGE, |

| | Issued | | | solid-state storage device | KENNETH J. |
|----------|---------------|-----|------------|---|-------------------------|
| 09922436 | 6671778 | 150 | 08/03/2001 | | ELDREDGE, KENNETH J. |
| 10017567 | 6534841 | 150 | 12/14/2001 | CONTINUOUS ANTIFUSE MATERIAL IN MEMORY STRUCTURE | ELDREDGE, KENNETH J. |
| 10044542 | 6643195 | 150 | 01/11/2002 | SELF-HEALING MRAM | ELDREDGE, KENNETH J. |
| 10051476 | 6775223 | 150 | 01/17/2002 | SYSTEMS FOR CONTROLLING STORAGE DEVICE EMITTERS | ELDREDGE, KENNETH J. |
| 10120113 | 6625055 | 150 | 04/09/2002 | MULTIPLE LOGICAL BITS PER MEMORY CELL IN A MEMORY DEVICE | ELDREDGE, KENNETH J. |
| 10120118 | Not Issued | 161 | 04/09/2002 | Non-volatile, multi-level memory device | ELDREDGE, KENNETH J. |
| 10151915 | 6757188 | 150 | 05/22/2002 | TRIPLE SAMPLE SENSING FOR MAGNETIC RANDOM ACCESS MEMORY (MRAM) WITH SERIES DIODES | ELDREDGE, KENNETH J. |
| 10295651 | Not Issued | 71 | 11/15/2002 | Transferring data in selectable transfer modes | ELDREDGE, KENNETH J. |
| 10314114 | 6836429 | 150 | 12/07/2002 | MRAM HAVING TWO WRITE CONDUCTORS | ELDREDGE, KENNETH J. |
| 10384053 | Not Issued | 164 | 03/06/2003 | ASSISTED MEMORY SYSTEM | ELDREDGE, KENNETH J. |
| 10609904 | 6906964 | 150 | 11 | MULTIPLE BUFFER MEMORY INTERFACE | ELDREDGE, KENNETH J. |
| 10611544 | 7019381 | 150 | 07/01/2003 | METHOD OF PROVIDING MULTIPLE LOGICAL BITS PER MEMORY CELL | ELDREDGE, KENNETH J. |
| 10661448 | Not Issued | 71 | 09/11/2003 | Increased magnetic memory array sizes and operating margins | ELDREDGE, KENNETH J. |
| 10676465 | 6927996 | 150 | 09/30/2003 | MAGNETIC MEMORY DEVICE | ELDREDGE, KENNETH J. |
| 10695363 | 7213086 | 150 | 10/28/2003 | SYSTEM HAVING A STORAGE CONTROLLER THAT MODIFIES OPERATION OF A STORAGE SYSTEM BASED ON THE STATUS OF A DATA TRANSFER | ELDREDGE, KENNETH J. |
| 10696826 | 6873544 | 150 | 10/30/2003 | TRIPLE SAMPLE SENSING FOR MAGNETIC RANDOM ACCESS MEMORY (MRAM) | ELDREDGE, KENNETH J. |

| | | | | WITH SERIES DIODES | |
|----------|---------------|-----|------------|--|----------------------------|
| 10727402 | 6982571 | 150 | 12/04/2003 | SYSTEMS AND METHODS FOR TRANSLATING VOLTAGE LEVELS OF DIGITAL SIGNALS | ELDREDGE, KENNETH J. |
| 10792264 | 6916182 | 150 | 03/03/2004 | Connection arrangements for electrical devices having a ledge on which contact terminals are provided | ELDREDGE, KENNETH J. |
| 10983776 | 7102918 | 150 | 11/07/2004 | MRAM HAVING TWO WRITE CONDUCTORS | ELDREDGE, KENNETH J. |
| 11264539 | Not Issued | 41 | 11/01/2005 | Controllably connectable strings of MRAM cells | ELDREDGE, KENNETH J. |
| 11834565 | Not Issued | 19 | 08/06/2007 | SOLID STATE STORAGE ELEMENT AND METHOD | ELDREDGE, KENNETH J. |
| 60835624 | Not Issued | 159 | 08/05/2006 | Flash hard drive and method | ELDREDGE, KENNETH J. |
| 60886926 | Not Issued | 20 | 01/27/2007 | Solid State Storage Element and Method | ELDREDGE, KENNETH J. |
| 08589674 | Not Issued | 161 | 01/22/1996 | APPARATUS AND METHOD FOR THERMAL ASPERITY DETECTION AND FAILURE PREDICTION IN DISK DRIVE SYSTEMS | ELDREDGE, KENNETH J. |
| 09430238 | 6262625 | 150 | 10/29/1999 | OPERATIONAL AMPLIFIER WITH DIGITAL OFFSET CALIBRATION | ELDREDGE, KENNETH J. |
| 09430611 | 6188615 | 150 | 11 | MRAM DEVICE INCLUDING DIGITAL SENSE AMPLIFIERS | ELDREDGE, KENNETH J. |
| 10448574 | 6873543 | 150 | 05/30/2003 | MEMORY DEVICE | ELDREDGE, KENNETH JAMES |
| 10454463 | 6839275 | 150 | 06/04/2003 | MEMORY SYSTEM | ELDREDGE, KENNETH JAMES |
| 10695567 | 7038878 | 150 | 10/28/2003 | MICROMOVER CONFIGURED TO MOVE A MAGNETIC STORAGE MEDIUM IN PERPENDICULAR DIRECTIONS IN A PLANE | ELDREDGE, KENNETH JAMES |
| 10718137 | 6967149 | 150 | 11/20/2003 | STORAGE STRUCTURE WITH CLEAVED LAYER | ELDREDGE, KENNETH JAMES |

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name

First Name

| eldredge | kenneth | Search |
|----------|---------|--------|
| elureage | Keimeni | |

To go back use Back button on your browser toolbar.

Back to $\ \underline{PALM} \ | \ \underline{ASSIGNMENT} \ | \ \underline{OASIS} \ | \ Home page$